

Cee-Bee® A-202

Cee-Bee® A-202 is a viscous, acid/phenolic stripper for bond release removal of polyurethane, epoxy, and other chemically resistant coatings, including base coats and primers.

Conforms To

- Boeing
 - AMM 51-21-11
 - BAC 5725
 - SOPM 20-30-02
- Bombardier
 - BAPS 180-006
- Douglas
 - DPM 5619
- Federal Express
- General Electric
 - C04-022
- Lockheed Martin
 - EPS 32.2420

Benefits

- Effective and rapid removal of chemically resistant coatings, including difficult-to-remove base coats and primers.
- Evaporation retardant added to keep stripper "wet" for long dwell times on resistant coatings
- Effective over a wide range of temperatures.
- Thixotropic - clings to overhead, vertical and inclined surfaces.
- May be applied by non-atomising spray, brush, roller or flow-on methods.
- Rinses off easily, even with cold water.
- Safe on aluminum, copper, mild-steel and stainless steel.
- Phenolic content is low.

Properties

- Viscous, amber liquid with a pungent odor
- pH below 2

Notes Prior to Handling

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

Use Procedure

Paint Removal

- Surface should be dry and below 80°F (26°C) for optimum stripping.
- Apply Cee-Bee[®] A-202 with non-atomizing spray, brush or flow on. Allow stripper to dwell until coating is wrinkled and loosened. Agitate lightly. For questions regarding a suitable spray nozzle, please contact your Cee-Bee[®] representative.
- Reapply stripper to areas not completely released from the substrate and allow to dwell.
- When stripping is complete, rinse off with a high-pressure water spray.

Caution

- Cee-Bee[®] A-202 is damaging to magnesium alloys, high strength steel, acrylics and most plastics. Avoid contact to prevent damage.

Safety, Handling, and Precautions

- **DANGER!** Rapidly absorbed through the skin. May be fatal if exposure is extensive.
- Can cause severe burns. Avoid all contact with eyes and skin. Wear rubber gloves and goggles or face shield. Use full wash rack gear for large scale operations.
- Avoid breathing vapors. Provide adequate ventilation.
- **DO NOT** take internally.
- Wash after handling. In case of accidental contact, immediately flood with water while removing contaminated clothing. Obtain medical attention.
- For inhalation, remove to fresh air.
- Damaging to magnesium, high strength steel, acrylic and most plastics.
- Keep bung tight to prevent leakage. Before removing bung, loosen slowly to relieve internal pressure to avoid spewing of contents.

Contact Us

United States

McGean

Phone: +1-216-441-4900

Fax: +1-216-441-1377

Email: Aviation@McGean.com

United Kingdom

McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563

Fax: +44-1902-457443

Email: Aviation@McGean-Rohco.co.uk

Singapore

McGean Singapore

Phone: +65-6863-2296

Fax: +65-6863-2297

Email: Info@ceebee.com.sg

China

Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689

Email: Info@ceebee.com.cn

Cee-Bee[®] A-202 is a viscous, acid/phenolic stripper for bond release removal of polyurethane, epoxy, and other chemically resistant coatings, including base coats and primers.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021 (Rev. A2)