

# Cee-Bee® Emulsoclean 20B

Cee-Bee® Emulsoclean 20B is a general-purpose cleaner.



## **Conforms To**

- Douglas
  - o DPM 2670



## **Benefits**

- Effective on a wide variety of soils.
- May be used both in water solutions and emulsified with organic solvents.
- Safe on all common structural metals, including mild and stainless steel, aluminum and aluminum alloys, magnesium and magnesium alloys, copper and copper alloys.
- No toxic vapors.
- Contains no chromates or other heavy metal salts.
- May be used with steam cleaning equipment.



# **Properties**

- Mildly alkaline
- Biodegradable

Very slight odor

# **Notes Prior to Handling**

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.





## **Use Procedure**

#### **General Aircraft Exterior Cleaning**

- 1. Dilute 1-part Cee-Bee® Emulsoclean 20B with 8 to 12 part water.
- 1. Apply Cee-Bee® Emulsoclean 20B solution with mop, cloth or non-atomizing spray equipment. Agitate with soft bristle brush or mop.
- 2. Flush thoroughly with flowing water.

#### **Heavy Duty Aircraft Exterior Cleaning**

- 2. Dilute 1-part Cee-Bee® Emulsoclean 20B with 4 parts petroleum solvent and air agitate to form a creamy, uniform emulsion.
  - a. **Note:** Petroleum solvent used in emulsion should contain less than 10% aromatic compounds and should have a flash point above 100°F (38°C).
- 3. Apply Cee-Bee® Emulsoclean 20B solvent emulsion with mop, cloth or non-atomizing spray equipment. Agitate with soft bristle brush or mop.
- 4. Flush with flowing water rinse.

#### **Heavy Duty Immersion Tank Degreasing**

- 1. Dilute 1-part Cee-Bee® Emulsoclean 20B with 1 to 4 parts water. Mix one-part Cee Bee Cee-Bee® Emulsoclean 20B/water solution with 4 parts aromatic petroleum solvent. Air agitate to form an emulsion.
  - a. **Note:** For immersion tank applications, petroleum solvent should have an aromatic content of at least 95% and a flash point above 100°F (38°C). All plastic parts should be tested for safety in the solvent before being immersed in the solvent emulsion.
- 2. With air agitation, immerse parts to be degreased in Cee-Bee® Emulsoclean 20B/Solvent emulsion and allow to soak until grease is loosened and emulsified.
- 3. Remove parts from tank and flush with pressure water rinse.





# **Use Procedure (continued)**

#### **Steam Cleaning**

- 1. Mix 1-part Cee-Bee® Emulsoclean 20B with 20-50 parts water in the concentrate holding tank of the steam cleaning machine.
- 2. Operate steam cleaner in accordance with the manufacturer's instructions.
- 3. Direct steam flow onto parts to be cleaned until soils are loosened and flushed from the surface.
- 4. Follow steam cleaning with a flowing water rinse.
- 5. Dilution ratio of Cee-Bee® Emulsoclean 20B should be adjusted to provide a foam blanket on the soiled surface adequate to prevent excessive splashing of cleaner, but not thick enough to retard impingement of the spray on the surface.



# Safety, Handling, and Precautions

- Avoid eye contact and prolonged skin contact.
- For eye contact, flush with water. If eye irritation persists, seek medical attention.



#### **Contact Us**

#### **United States**

McGean

Phone: +1-216-441-4900 Fax: +1-216-441-1377

Email: Aviation@McGean.com

## **United Kingdom**

McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563 Fax: +44-1902-457443

Email: Aviation@McGean-Rohco.co.uk

#### **Singapore**

**McGean Singapore** 

Phone: +65-6863-2296 Fax: +65-6863-2297

Email: Info@ceebee.com.sg

#### China

Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689 Email: Info@ceebee.com.cn

Cee-Bee® Emulsoclean 20B is a general-purpose cleaner.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM, USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021 (Rev. A2)