

Cee-Bee[®] A-955

Cee-Bee[®] A-955 is an alternate product for removing temporary coatings. Cee-Bee[®] A-955 also removes grease and shop soils.

Conforms To

- AMS
 - AMS 1530B
 - AMS 1536B (Partial)
- Boeing
 - D6-17487, Rev. P
- Douglas
 - CSD-1

Benefits

- Slow evaporation. Evaporates completely leaving no solvent residues.
- Excellent solvency for temporary coatings, as well as for grease and greasy soils.
- Safe for use on all aircraft structural metals including mild steel, high strength steel, stainless steel, aluminum, magnesium and copper.
- Safe for use on most painted surfaces when used as directed.
- Low vapor toxicity. Safer than methyl ethyl ketone (MEK), toluene, xylene and safer than the halogenated solvents. This product will not damage the earth's ozone layer.
- Contains no phenolics, cyanides, nitrites, heavy metal salts or hazardous solvents.

Properties

- Mild solvent odor

Notes Prior to Handling

Before using your Cee-Bee[®] products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee[®] representative before proceeding.

Use Procedure

- Wipe surface clean using clean Cee-Bee® A-955 wipes. Turn frequently to prevent redeposition of soil or residues on cleaned surface. Wipe with clean, dry cloths. If surface is to be air dried, all residual soil must be wiped away.

Safety, Handling, and Precautions

- Store containers in a cool dry area. Open containers slowly to prevent any spewing of contents. Keep containers tightly sealed.
- Before using on plastic electrical insulation or a painted surface that might be damaged, check effect on samples.

Contact Us

United States

McGean

Phone: +1-216-441-4900

Fax: +1-216-441-1377

Email: Aviation@McGean.com

United Kingdom

McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563

Fax: +44-1902-457443

Email: Aviation@McGean-Rohco.co.uk

Singapore

McGean Singapore

Phone: +65-6863-2296

Fax: +65-6863-2297

Email: Info@ceebee.com.sg

China

Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689

Email: Info@ceebee.com.cn

Cee-Bee[®] A-955 is an alternate product for removing temporary coatings. Cee-Bee[®] A-955 also removes grease and shop soils.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021