

## **Product Data Sheet**

## Cee-Bee<sup>®</sup> E-1092T

**Cee-Bee®** E-1092T is an environmentally-friendly, cold tank-type remover for polyurethane and other paint systems including powder coat. Softens paint to make subsequent media blasting easier.

# 읻 Conforms To

- AMS
  - o **1375B**
- Boeing
  - o D6-17487 Rev. P
- Douglas
  - CSD-1
- Goodrich
  - o CMM 32-40-24
  - o CMM 32-40-43
- Goodrich & Messier
  - o CMM 32-41-75
- Honeywell
  - o SPM 32-49-01

## **Properties**

- Opaque, white liquid
- Slightly viscous

Mild odor

**Benefits** 

magnesium.

toxic materials.

Surfactants biodegradable.

Contains no halogenated solvents.

Safe on aircraft structural metals, including high strength steel, mild steel, stainless

steel, cadmium plated steel, aluminum and

• Contains no phenol, heavy metals or other

## Notes Prior to Handling

Before using your Cee-Bee<sup>®</sup> products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee<sup>®</sup> representative before proceeding.





#### **Equipment Recommendation**

• Cee-Bee<sup>®</sup> E-1092T may be contained in tanks fabricated of 300 series stainless steel, polypropylene or polyethylene.

#### **Paint Removal and Softening**

- 1. Completely immerse parts in remover. Use undiluted at ambient temperature and soak until the coating is loosened.
- 2. When the coating is satisfactorily loosened (1 hour to overnight), withdraw the parts and drain over the tank.
- 3. Remove loosened paint with high pressure, air-boosted water. Removal may be assisted by agitating the surface with stiff bristle brushes.
- 4. Re-immerse parts in the tank to remove residual paints adhering to the surface. If residues are not removed after a suitable dwell time, an appropriate media blast procedure can be employed.

#### NOTE:

• Bath life can be extended by keeping the tank covered and by periodic de-sludging to remove paint residues.

## 🛕 Safety, Handling, and Precautions

- May irritate eyes and skin.
- Use goggles, gloves and other protective clothing sufficient to avoid contact.
- Concentrated vapors may cause irritation. Use in well ventilated area.
- For contact with eyes or skin, flush with water. If irritation persists, seek medical attention.



### **Product Data Sheet**

## **Contact Us**

### **United States**

**McGean** Phone: +1-216-441-4900 Fax: +1-216-441-1377 Email: <u>Aviation@McGean.com</u> United Kingdom McGean-Rohco (UK) Ltd. Phone: +44-1902-456563 Fax: +44-1902-457443 Email: <u>Aviation@McGean-Rohco.co.uk</u>

Singapore McGean Singapore Phone: +65-6863-2296 Fax: +65-6863-2297 Email: Info@ceebee.com.sg **China Cee-Bee Aviation Materials (Xiamen) Co. Ltd.** Phone: +86-592-551-3689 Email: Info@ceebee.com.cn

**Cee-Bee**<sup>®</sup> **E-1092T** is an environmentally-friendly, cold tank-type remover for polyurethane and other paint systems including powder coat. Softens paint to make subsequent media blasting easier.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021 (Rev. A2)